

SANO UK Powered Stairclimbers Ltd.


8, Brookhouse Bus. Pk. / Hadleigh Rd. Ind. Est. · Ipswich IP2 0EF Tel. 0044 (0)1473 251 337 · Fax 0044 (0)1473 232 854 E-Mail: info@LiftkarDirect.com · www.LiftkarDirect.com

SANO DEUTSCHLAND GmbH Geigelsteinstr. 10 . D-83088 Oberaudorf Tel. ++49/(0)8033/30896-0 . Fax ++49/(0)8033/30896-17 E-Mail: info@sano-treppensteiger.de . Internet: www.sano-treppensteiger.de









### What makes the transport over stairs easy, quick and safe?

The transport of heavy and bulky loads over stairs was a problem that could hardly be overcome: several people had to carry the goods up and downstairs, often with a high risk of damage to the back. Thanks to LIFTKAR this is now a thing of the past.

#### LIFTKAR the special hand truck

has an electric lifting system built in, so it is indispensable for anyone who has to transport heavy and awkward loads:

1 person can manage to transport the load

- up to 310 kg
- easily, safely and quickly (8 18 steps per minute)
  over almost all kinds of stairs (even winding stairs) and
- to move the load comfortably and smoothly (due to pneumatic tyres) on level ground.

Therefore LIFTKAR pays for itself in a short time.

#### LIFTKAR easy to handle and ideal for various tasks

The heart of the hand truck is the electric lifting system with a crank drive. It is controlled by the electronic power switch, actuated by push buttons located on the right handles. By releasing the push button the load can be put down in every position. A sliding clutch protects the handtruck from mechanical overload. Double handles and a foldable frame enables the load to be under optimal control in every position.

A quick-change battery unit is included. In order to guarantee long-term use, the battery can be recharged quickly by a special quick battery charger for use in trucks and vans.




## MTK 310 MTK 190

Doing the "hard job".

Even bulky goods such as cases, stoves, safes and vending machines are handled easily. This model has an additional automatic brake on the main wheels as standard equipment. This guarantees safe and controlled handling of heavy loads.

Faster than the MTK 310. Standard without automatic brakes but available as an option.



190

510 x 300

195

# 100.500 100.502

Capacity

Overall width (without toeplate)

Depth of toeplate

100.500



Climbing Speed	steps/min	8-9	16-18
Battery capacity approx.	steps	100	170
Weight approx.	kg	35	32
Weight of battery unit	kg	5,5	5,5
Max. step height	mm	210	210
Overall height	mm	1620	1520
Overall height folded	mm	1100	1100
Main Wheels	mm	260 x 85	260 x 85
		ball bearings	ball bearings
Width of Frame	mm	380	380
Clearance (width)	mm	580	510

kg

310

580 x 300

195





mm

mm



100.533

Both models include standard accessories:			
Quick-change battery BU	100.500		
Battery charger BC 100-230 VAC-MTK	100.501		
Strap SB-3,5m (2 hooks and ratchet)	100.503		

Options:	
Automatic brake for MTK 190	100.533

Additional accessories:	
Toeplate attachment with 2 swivel castors SA-F 400mm	100.516
Toeplate attachment with 2 swivel castors SA-LF 500mm	100.513
In-transit charger BC 10-30 VDC-MTK	100.502
Additional quick-change battery BU	100.500