






# LIFTKAR PTR

POWERED TRACKED STAIRCLIMBER FOR TRANSPORTING PEOPLE

SAFE ON THE STAIRS. EASY TO USE.

The LIFTKAR PTR tracked stairclimber is a unit that has been developed for transport on straight steps. Using the tracked stairclimber increases freedom of movement for people with walking difficulties. At the same time, it is ergonomically designed to relieve stress to the back of the person operating the tracked stairclimber.












## LIFTKAR PTR

### SAFETY, ERGONOMICS, QUALITY OF LIFE

The extremely lightweight LIFTKAR PTR tracked stairclimber is impressively easy to use, has three speeds, acoustic and visual inclination warning as well as a range of up to 1000 steps on a single battery charge. It's so easy - simply release two levers to dismantle the LIFTKAR PTR into two easily portable parts. The LIFTKAR PTR ensures safe handling on the stairs. There are two versions of the LIFTKAR PTR available for two maximum loads:

### PTR 130/160



### POWERED TRACKED STAIRCLIMBER FOR UNIVERSAL WHEELCHAIRS

The LIFTKAR PTR is the compact basic version that enables universal wheelchairs to be transported up and down stairs conveniently and safely. Available for the following maximum loads (wheelchair and passenger):

LIFTKAR PTR 130 (Art. no. 075 701): for a maximum load of 130 kg LIFTKAR PTR 160 (Art. no. 075 702): for a maximum load of 160 kg

### PTR-L 130/160





### POWERED TRACKED STAIRCLIMBER FOR LIGHTWEIGHT ELECTRIC WHEELCHAIRS

The LIFTKAR PTR-L is the longer version (+132 mm) of the LIFTKAR PTR tracked stairclimber, which is available as an option with factory-fitted drive-on ramps (Art. no. 975 110) for transporting lightweight electric wheelchairs. Available for the following maximum loads (wheelchair and passenger):

LIFTKAR PTR-L 130 (Art. no. 075 705): for a maximum load of 130 kg LIFTKAR PTR-L 160 (Art. no. 075 703): for a maximum load of 160 kg

### **TECHNICAL DATA**





|  | LIFTKAR PTR                          | LIFTKAR PTR-L                          |
|--|--------------------------------------|--|
| Load capacity and article numbers for the complete LIFTKAR PTR | PTR 130: 130 kg*                     | PTR-L 130: 130 kg*                     |
| tracked stairclimber with battery pack and charger unit        | Art. no. 075 701                     | Art. no. 075 705                       |
|  | PTR 160: 160 kg*<br>Art. no. 075 702 | PTR-L 160: 160 kg*<br>Art. no. 075 703 |
|  | * Maximum load                       | * Maximum load                         |
|  | (Wheelchair and passenger)           | (Wheelchair and passenger)             |
| Total weight of tracked stairclimber                           | 38.2 kg                              | 39.4 kg                                |
| Weight of handle unit  | 9.6 kg                               |  |
| Weight of base unit  | 28.6 kg                              | 29.8 kg                                |
| 3 speed settings (per minute)                                  | 5.5 m/6.5 m/7.5 m                    |  |
| Maximum inclination  | 35°                                  |  |
| Height   | 930 mm                               |  |
| Width  | 650 mm                               |  |
| Overall length of base unit                                    | 980 mm                               | 1112 mm                                |
| Overall length including handle unit                           | 1380 mm                              | 1512 mm                                |
| Landing dimensions (min.)                                      | 970 mm x 970 mm                      | 1150 mm x 1150 mm                      |

# 10 UNBEATABLE ADVANTAGES TO CONVINCE YOU

| <b>01</b> electronic overload prot | ection |
|------------------------------------|--------|
|------------------------------------|--------|

- electronic inclination sensor including speed monitor
- acoustic and visual inclination warning
- microprocessor controlled operating system
- integrated diagnostics system
- LED direction of travel display
- range of up to 1000 steps on a single battery charge
- key switch
- emergency stop
- integrated operating hours counter



# QUALITY OF LIFE IS WHEN YOU HAVE SOLUTIONS DESIGNED ESPECIALLY FOR YOU

Accessories for LIFTKAR PTR stairclimbers are specifically designed to cater for the individual needs and requirements of people with walking difficulties. The quality of the technical solution and design are of the utmost importance.

### LIFTKAR PTR FACTORY-FITTED OPTIONS \*



**Tilting device** Art. no. 975 115



**Drive-on ramps** ideal for LIFTKAR PTR-L Art. no. 975 110



Folding wheelchair retention arm instead of standard wheelchair retention arm Art. no. 975 100



Grey tracks, fitted for LIFTKAR PTR, Art. no. 075 087 for LIFTKAR PTR-L, Art. no. 076 043



Backrest clamp — adjustable plates 💿

Standard (clamping range: 360 mm - 500 mm)
Art. no. 975 146

Wide (clamping range: 460 mm - 600 mm) Art. no. 975 149

#### Backrest clamp 🧭

Wide (clamping range: 440 mm - 600 mm) Art. no. 975 129

### LIFTKAR PTR ACCESSORIES



#### Expansion Wheelchair retention arm +100 mm Art. no. 975 105



Headrest Art. no. 075 104



Headrest with sliding elements Art. no. 975 141



Backrest cushion Art. no. 975 104



Add-on ramps especially for transport chairs Art. no. 975 103



Mini ramps up to track width 710 mm Art. no. 975 143

up to track width 740 mm Art. no. 975 165



Belt system for drive-on ramps Art. no. 975 140





### SANO Transportgeraete GmbH

Am Holzpoldlgut 22 4040 Lichtenberg / Linz Austria

Tel. +43 7239 / 510 10 Fax +43 7239 / 510 10-14 office@sano.at

www.sano.at

### SANO Deutschland GmbH

Geigelsteinstraße 10 83080 Oberaudorf Germany

Tel. +49 8033 / 308 96-0 Fax +49 8033 / 308 96-17 info@sano-treppensteiger.de

www.sano-treppensteiger.de

#### SANO UK Powered Stairclimbers Ltd.

Bristol Court, Betts Avenue Martlesham Heath Ipswich, Suffolk / IP5 3RY, England

Tel. +44 1473 / 333 889 Fax +44 1473 / 333 742 info@liftkardirect.com

www.liftkardirect.co.uk





